



# SAFETY DATA SHEET

*This Safety Data Sheet meets or exceeds the requirements of the Canadian Controlled Product Regulations (WHMIS)*

## 1. Product and Supplier Identification

**Product:** 800 Neutralizer

**Product Use:** Latex and Graffiti Stripper Neutralizer

**Supplier:** Canadian Building Restoration Products, Inc.,  
#102, 876 Cordova Diversion  
Vancouver, BC Canada V6A 3R3  
Emergency Telephone: (604) 254-3325

**Manufacturer:** American Building Restoration Products, Inc.,  
9720 South 60<sup>th</sup> Street,  
Milwaukee, Wisconsin, USA, 53132

## 2. Hazards Identification

### Routes of Entry:

Skin Contact: Yes  
Skin Absorption: No  
Eye Contact: Yes  
Ingestion: Yes  
Inhalation: Yes

**Acute Health Effects:** Direct contact with skin will produce deep burns, which may cause scarring. This product is extremely corrosive to the eyes. Contact may cause ulceration, and permanent blindness may occur. Inhalation of hydrochloric acid vapours are extremely irritating to the upper respiratory tract. Prolonged exposures may cause ulcerations of the nose and throat. In severe cases, pulmonary edema (severe, life threatening lung injury) may occur. Ingestion is not a primary route of entry, however, if ingested, can cause burning of the mouth, throat, stomach and esophagus. Symptoms may include difficulty swallowing, intense thirst, pain, nausea, vomiting and retching. Small amounts of acid, if aspirated into the lungs can cause serious lung damage.

**Chronic Health Effects:** Long term exposure may cause dental erosion, turning tooth enamel brownish. Repeated low concentration exposure to the skin can cause redness, swelling, and dermatitis. Inhalation of hydrochloric acid vapours, in time may cause easy bleeding of the nose and gums. Not considered to be a sensitizer.

**GHS Classification:** Corrosive to metals, Category 1  
Skin Corrosion, Category 1B  
Serious Eye Damage, Category 1  
Specific Target Organ Toxicity, single exposure, Category 3, Respiratory System

### GHS Hazard Statements:

H290: May be corrosive to metals.  
H314: Causes severe skin burns and eye damage.  
H318: Causes serious eye damage.  
H335: May cause respiratory irritation.  
H336: May cause drowsiness or dizziness.

**GHS Precautionary Statements:**

P260: Do not breathe gas/mist/vapours/spray.  
 P264: Wash skin thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.  
 P271: Use only outdoors or in a well-ventilated area.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P310: P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 P301+P330+P331: P301+P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P305+P351+P338: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310: Immediately call a POISON CENTER or doctor/physician.  
 P321: Specific treatment (see First Aid Section on this SDS).  
 P330: Rinse mouth.  
 P363: Wash contaminated clothing before reuse.  
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
 P405: Store locked up.  
 P501: Dispose of contents/container to an approved waste disposal plant.

**Pictogram:**



**Signal Word:** Danger

**3. Composition**

Component	% (w/w)	Exposure Limits ACGIH*	LD <sub>50</sub>	LC <sub>50</sub>
Hydrochloric acid (CAS No.7647-01-0)	75	TLV-C: 5 ppm	700 mg/kg (oral/rat) 5010 mg/kg (dermal/rat)	1405 ppm (rat/inhalation, 4 hour)
<b>GHS CLASSIFICATION:</b> CORR METAL, CAT 1; SKIN CORR, CAT 1B; SERIOUS EYE DAMAGE, CAT 1; STOT SE, CAT 3				
Non-hazardous ingredients or those below disclosure limits	25	N/ap	N/ap	N/ap

\* ACGIH: American Conference of Governmental Industrial Hygienists. Exposure limits may vary from time to time and from one jurisdiction to another. Check with local regulatory agency for the exposure limits in your area.

**ABBREVIATION KEY:** N/p: not published, N/d: not determined, N/ap: not applicable, N/av: not available

**4. First Aid Measures**

**Eye Contact:** Flush contaminated eye(s) with lukewarm, gently running water for 60 minutes by the clock, holding eyelids open. Use a neutral saline solution, if available to bathe the eyes. **Do not interrupt** the flushing of the eyes. If necessary, keep emergency vehicle waiting. Take care not to contaminate unaffected eye, or face. Transport victim to emergency center as soon as is possible. Seek immediate medical attention.

**Skin Contact:** Remove contaminated clothing including watchbands, shoes, belts, etc. Flush affected area immediately with lukewarm, gently flowing water for at least 60 minutes, by the clock. **Do not interrupt** the flushing of the eyes. If necessary, keep emergency vehicle waiting. Transport victim to emergency center as soon as is possible. Seek immediate medical attention. Discard any contaminated clothing.

**Inhalation:** If victim has been exposed to vapours remove to fresh air. If breathing has stopped, a trained person should perform artificial respiration. Get medical attention immediately.

**Ingestion:** Never give anything by mouth if victim is rapidly losing consciousness. Have victim rinse mouth thoroughly with water. **Do not induce vomiting.** Dilute contents of stomach with 240 to 300 ml of water. If milk is available, it may be administered after giving water. If vomiting occurs naturally have victim lean forward to reduce risk of aspiration. Repeat dilution by giving water as above. Seek medical attention by transporting to an emergency facility quickly.

**Potential for Accumulation:** Will not accumulate

## 5. Fire Fighting Measures

<b>Flash point:</b>	Not applicable
<b>Autoignition temperature:</b>	Not applicable. See information under "Fire Fighting Instructions"
<b>Lower Explosive Limit:</b>	Not applicable
<b>Upper Explosion Limit:</b>	Not applicable
<b>Sensitivity to Impact:</b>	Not sensitive.
<b>Sensitivity to Static Discharge:</b>	Not sensitive.

**Hazardous Combustion Products:** At high temperatures, it will breakdown into hydrogen and chlorine.

**Extinguishing Media:** Use extinguishing media compatible with acid and appropriate for burning material. Use water spray to cool fire exposed containers.

**Fire Fighting Instructions:** Do not enter confined fire space without proper personal protection. Use approved positive pressure self-contained breathing apparatus.

## 6. Accidental Release Measures

**Personal Protection:** See Section 8 for proper protective equipment to be worn while cleaning an accidental spill.

**Environmental Precautions:** Prevent product from entering sewers, natural waterways, or confined spaces.

**Cleanup Procedures:** Neutralize with soda ash and absorb onto sand or other inert absorbent media. Shovel into approved closable waste containers for disposal. Thoroughly flush residue with water.

## 7. Handling and Storage

**Handling Procedures:** *Keep out of reach of children!* This product is highly corrosive, producing acid vapours in air. Before handling, it is imperative that the personal equipment requirements and personal hygiene measures be followed. Inspect containers for damage or leaks before handling. Unprotected persons should avoid all contact with this product including contaminated equipment. Do not use with incompatible materials such as strong bases, reducing agents, and oxidizing materials. Avoid uses that may cause the product to mist or splash such as rinsing with high-pressure water sprays. Ensure all containers are correctly labeled indicating hazards. Keep container tightly closed when not in use. Wash face and hands thoroughly after handling, and before eating, drinking, or using tobacco products.

**Storage:** Store in cool, dry place and in an upright position to prevent leakage and away from acids and other incompatible materials.

## 8. Exposure Controls, Personal Protection

**Engineering Controls:** If used indoors, ensure adequate ventilation by using local exhaust. Prevent handling methods that will increase airborne vapours.

**Respiratory Protection:** For vapour concentrations up to 50 ppm, use chemical cartridge respirator to protect against hydrogen chloride vapours. For concentrations in excess of 50 ppm, use supplied air respirator (SAR).

**Skin Protection:** Use chemical protective gloves, coveralls, aprons, overshoes.

**Eye and Face Protection:** Chemical splash-proof goggles or face shield must be worn at all times.

**Footwear:** Chemical resistant boots or overshoes.

**Other:** Eye wash station should be located near work area.

## 9. Physical and Chemical Properties

<b>Appearance:</b>	Clear liquid
<b>Odour:</b>	Irritating acidic odour
<b>Odour Threshold:</b>	1-5 ppm
<b>pH:</b>	0.5
<b>Melting Point/Freezing Point:</b>	0°C
<b>Initial Boiling Point:</b>	100 °C
<b>Flash Point:</b>	Not applicable
<b>Evaporation Rate:</b>	No data
<b>Flammability:</b>	Not flammable
<b>Upper Explosion Limit:</b>	Not applicable
<b>Lower Explosion Limit:</b>	Not applicable
<b>Vapour Pressure:</b>	94 mm/Hg
<b>Vapour Density:</b>	1.27 (air=1)
<b>Relative Density:</b>	1.14 (water=1)
<b>Solubility:</b>	Infinite solubility in water
<b>Partition Coefficient:</b>	No data
<b>Autoignition Temperature:</b>	Not applicable.
<b>Decomposition Temperature:</b>	Not applicable
<b>Viscosity:</b>	No data
<b>Explosive Properties:</b>	No data
<b>Oxidizing Properties:</b>	No data

## 10. Stability and Reactivity

**Chemical Stability and Reactivity:** Product is stable. Product reacts vigorously when mixed with strong bases.

**Incompatibility:** Avoid contact with oxidizing agents and reducing agents, reactions are vigorous causing heat and the formation of hydrogen gas. Reaction with acetylides, borides, carbides, and silicides may produce flammable gases such as acetylene.

**Hazardous Decomposition Products:** None

**Hazardous Polymerization:** Hazardous polymerization may occur upon reacting with certain incompatible substances.

## 11. Toxicological Information

**Acute Exposure:** Corrosive and toxic. Theoretical LD<sub>50</sub> (rabbit/oral) for product is 900 mg/kg. LC<sub>50</sub> (rat/30 minute exposure) is 8300 mg/m<sup>3</sup>.

<b>Chronic Exposure:</b>	See Section 3.
<b>Exposure Limits:</b>	See Section 2.
<b>Irritancy:</b>	See Section 3.
<b>Sensitization:</b>	See Section 3.
<b>Carcinogenicity:</b>	Information not available
<b>Teratogenicity:</b>	Information not available
<b>Reproductive toxicity:</b>	Information not available
<b>Mutagenicity:</b>	Negative in vitro mammalian cell tests.
<b>Synergistic products:</b>	None known.

## 12. Ecological Information

**Environmental toxicity:** No data available.

**Biodegradability:** No data available.

## 13. Disposal Considerations

**Canadian Environmental Protection Act:** All ingredients are listed on the DSL. Dispose according to all local, provincial and federal requirements.

## 14. Transport Information

**Canadian Transportation of Dangerous Goods Regulations:** UN 1789, HYDROCHLORIC ACID SOLUTION, Class 8, P.G.II

**International Air Transport Association (IATA):** UN1789, Hydrochloric Acid Solution, Class 8, P.G.II

**International Maritime Organization (IMO):** UN 1789, Hydrochloric Acid Solution, Class 8, P.G.II, EmS No. F-A, S-B, Stowage Category "C"

**Marine Pollutant:** No

## 15. Regulatory Information

### Canadian Federal Regulations:

**Canadian Environmental Protection Act:** All ingredients are on the Domestic Substances List.

**WHMIS Classification:** E, D1A

**GHS Classification:** Corrosive to metals, Category 1  
Skin Corrosion, Category 1B  
Serious Eye Damage, Category 1  
Specific Target Organ Toxicity, single exposure, Category 3, Respiratory System

## 16. Other Information

**Original Preparation Date:** February 17, 2000

**Prepared by:** KJ Pearson and Associates Ltd., West Vancouver, B.C., Canada, V7W 1P3

**Disclaimer:** This Safety Data Sheet (SDS) was prepared in accordance with criteria and requirements of the Hazardous Products Act and the Controlled Products Regulations using information provided by the manufacturer and other sources including CCINFO (Chemical Information published by the Canadian Centre for Occupational Health and Safety). This SDS incorporates the safety requirements of The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). The information in this SDS is offered for your consideration and guidance when exposed to this product. CBR Products expressly disclaims all expressed or implied warranties and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other process.

*This Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of CBR Products.*

**Latest Issue Date:** November 19, 2014